


WATERPROOF TILES





Decor overview

Format:

1230 x 2800 x 4 mm

Marble



Stone



Industrial



Organic



Color







Easy handling & installation

Designed with utmost care of easy handling and installation; can be cut, shaped, drilled and most of all, installed on different subsurfaces: ceramic tiles, gypsum plaster, concrete, plywood or OSB.







Scratch resistant

Rocko Tiles are well-protected against fine scratches and everyday wear and tear thanks to durable top surface layer.

Stainproof and easy to clean

Rocko Tiles meets stain resistance requirements, which might be caused by most common substances used in your living space: coffee, tea, wine and other beverages, cleaning agents used in kitchen, laundry, and care products used in bathroom.









Dimensionally stable

Rocko Tiles has high dimensional stability under the influence of temperature and humidity, making it suitable for both dry and wet areas.



2800 x 1230 x 4 mm


Rocko Tiles is a range of slim and lightweight slabs. Large format allows covering full height of walls in most apartments and houses.













K551

Calacatta Olympus

Peetah texture, **2800 x 1230 x 4** mm








Bianco Gold

Peetah texture, **2800 x 1230 x 4** mm







Venato Nature

Peetah texture, **2800 x 1230 x 4** mm








Elphain

Peetah texture, **2800 x 1230 x 4** mm







Marble Gold

Peetah texture, **2800 x 1230 x 4** mm







K024

Beige Pietra Marble

Peetah texture, **2800 x 1230 x 4** mm







Rainforest Brown

Peetah texture, **2800 x 1230 x 4** mm











Velvet Marble

Peetah texture, **2800 x 1230 x 4** mm













Ivory Onyx

High Gloss texture, 2800 x 1230 x 4 mm









Queensland Upala

High Gloss texture, 2800 x 1230 x 4 mm















K349

Silk Flow





Travertine








Arenit

Peetah texture, **2800 x 1230 x 4** mm







Crema Valpolicella







Soulstone








Greige Babylon



Pattern is not continuous between tiles.





Atacama Fields A

Peetah texture, **2800 x 1230 x 4** mm R157

Atacama Fields B











Concrete







Brooklyn Grey







K365

Coast Evoke Oak

Flanders Oak texture, **2800 x 1230 x 4** mm








Yacht Wood

Flanders Oak texture, **2800 x 1230 x 4** mm







K104

Rusty Copper







Native Steel








R162 Golden Cane B





Golden Cane A

Peetah texture, **2800 x 1230 x 4** mm




Pattern is not continuous between tiles.



R162

Golden Cane B



Skali



Pattern is not continuous between tiles.





Silver Sage



Pattern is not continuous between tiles.







Mink Plant



Pattern is not continuous between tiles.








White





Almond





Cashmere





Greige





Black







Article	Illustration	Item No.	Description	Packing Unit	Option	Article	Illustration	Item No.	Description	Packing Unit	Option
Internal corner		PROFSPC-INT-BLACK PROFSPC-INT-SILVER PROFSPC-INT-WHITE	2800 mm	Box of 10 pieces	black silver white	Matt Silicone	# ICOOD #	SILI-01	White	300 ml cartridge	
External corner		PROFSPC-EXT-BLACK PROFSPC-EXT-SILVER PROFSPC-EXT-WHITE	2800 mm	Box of 10 pieces	black silver white	Matt Silicone	0000	SILI-04	Light Beige	300 ml cartridge	
External corner - arrow 45°		PROFSPC-EXT-A-BLACK PROFSPC-EXT-A-SILVER PROFSPC-EXT-A-WHITE	2800 mm	Box of 10 pieces	black silver white	Matt Silicone	0001	SILI-02	Grey	300 ml cartridge	
C - profile		PROFSPC-C-BLACK PROFSPC-C-SILVER PROFSPC-C-WHITE	2800 mm	Box of 10 pieces	black silver white	Matt Silicone	A NOON -	SILI-05	Chocolate	300 ml cartridge	
T - profile		PROFSPC-T-BLACK PROFSPC-T-SILVER PROFSPC-T-WHITE	2800 mm	Box of 10 pieces	black silver white	Matt Silicone	0.000	SILI-03	Black	300 ml cartridge	
Grout - profile		PROFSPC-SLIM-BLACK PROFSPC-SLIM-SILVER PROFSPC-SLIM-WHITE	2800 mm	Box of 10 pieces	black silver white	Adhesive	MAN MOND	KLEJ-ROCKO-ADH_600	One-component, flexible, solvent-free assembly adhesive and sealant with a neutral curing system. Ready to use; has very good adhesion to most materials and substrates used in construction.	600ml foil packages	
LED - profile		PROFSPC-LED-BLACK PROFSPC-LED-SILVER PROFSPC-LED-WHITE PROFSPC-LED-COVER	2800 mm	Box of 10 pieces	black silver white	Adhesive	one process of the contract of	KLEJ-ROCKO-ADHESIVE	One-component, flexible, solvent-free assembly adhesive and sealant with a neutral curing system. Ready to use; has very good adhesion to most materials and substrates used in construction.	290ml cartridges	
Tile leveling system		ROCKOlelevelingsystem		200 pieces		Two- component Adhesive R2	8000 - E - E	KLEJ-ROCKO- ADHESIVE-R2	For all types of ceramic tiles, natural stone, polymer and quartz composites. For difficult, deformable substrates For underfloor heating, tile on tile, wood and metal. Watertight, frost proof and waterproof.	6 kg	


Installation Rocko Tiles


Wet & dry area installation































































Detailed assembly information available on our website, installation videos and in Rocko Tiles User Manual.









www.rocko-spc.com



86 87





www.rocko-spc.com

