

# T E S T C E R T I F I C A T E

ST-19-06-11-02

**Product:** "Rocko", Thickness: 5 mm  
**Producer:** Kronoflooring Sp. z o.o., ul. Przemysłowa 10, 38-200 Jasto, Poland  
**Order:** Testing of the properties according to EN 16511:2019, Table 1 and 2  
**Test report:** 2719075/3, 2719179

**Test results:**

Property	Result	Classification requirements according to EN 16511:2019
Geometric properties according to ISO 24337	All results are in the permissible tolerance	General requirements according to table 1 are fulfilled
Wear resistance according to prEN 15468	17000 Revolutions	Class 21-31 and 32-34 are fulfilled
Resistance against impact (big ball) according to EN 13329	> 1800 mm	Class 21-31 and 32-34 are fulfilled
Microscratch resistance according to EN 16094	MSR-A2	Class 21-31 and 32-34 are fulfilled
Resistance against soft chair rolls according to EN 425	no visible change / damages	Class 21-31 and 32-34 are fulfilled
Simulated movement of a furniture leg according to EN 424	no visible change / damages	Class 21-31 and 32-34 are fulfilled
Residual indentation according to ISO 24343-1	0.00 mm	Class 21-31 and 32-34 are fulfilled
Resistance against staining according to EN 438-2	Grade 5	Class 21-31 and 32-34 are fulfilled
Locking strength $F_{0.2}$ according to ISO 24334 short side joints long side joints	5.7 kN/m 6.4 kN/m	Class 21-31 and 32-34 are fulfilled Class 21-31 and 32-34 are fulfilled
Dimensional stability according to ISO 23999 length / width	0.00 % / 0.00 %	Class 21-31 and 32-34 are fulfilled

Dresden, 11/06/2019



Head of laboratory




Engineer in charge